SEQUENCE LISTING

| <110> HAKENBECK, Regine | |
|--|------|
| <120> DNA PROBES, METHOD AND KIT FOR IDENTIFYING ANTIBIOTIC-RESISTANT STRAINS OF BACTERIA | |
| <130> 012627-011 | |
| <140> 09/403,609 <141> 2000-03-03 | |
| <150> PCT/DE98/01134 <151> 1998-04-22 | |
| <150> DE 197 17 346.2 <151> 1997-04-24 | |
| <160> 25 | |
| <170> PatentIn Ver. 2.0 | |
| <210> 1 <211> 17 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 1 agtcagcaac gggtaag | 17 |
| <210> 2 <211> 17 <212> DNA <213> Streptococcus pneumoniae | - |
| <400> 2 aacgaacgat ggacggt | . 17 |
| <210> 3 <211> 18 <212> DNA <213> Streptococcus pneumoniae | |
| <220> <221> misc_feature <222> (10) <223> Nucleotide at position 10 is n wherein n is any nucleotide but preferably c. | |
| <400> 3 catttccagn cccctcca | 18 |
| <210> 4 <211> 17 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 4 | |

| tgcagatgcc acgattc | 17 |
|---|--------|
| <210> 5 <211> 17 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 5 ctggtcagct tcctgcg | 17 |
| <210> 6 <211> 20 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 6 tggttatcta gtcgggttaa | 20 |
| <210> 7 <211> 17 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 7 ctgtatcgat gagtccg | . 17 |
| <210> 8 <211> 19 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 8 aacagttctg ctgaagaag | 19 |
| <210> 9 <211> 18 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 9 taggagcacg ccatcagt | 18 |
| <210> 10 <211> 18 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 10 gacgaaatgc ctatcttg | 18 |
| <210> 11 <211> 19 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 11 ctctcaattt gtagcacct | 19 |

| <210> 1 <211> 1 <212> 0 <213> 8 | 19 | |
|--|---|----|
| <400> 1 | | 19 |
| <210> 1 <211> 2 <212> 0 <213> 5 | 20 | |
| <400> 1 atcaaat | | 20 |
| <210> 1 <211> 1 <212> D <213> S | 19 | |
| <222> (<223> N | misc_feature (10)(19) Nucleotides at positions 10 and 19 are n wherein n is any nucleotide but preferably c. | • |
| <400> 1 tggagaa | | 19 |
| <210> 1 <211> 2 <212> D <213> S | 20 | |
| <400> 1 gtctact | | 20 |
| <210> 1 <211> 1 <212> D <213> S | | |
| <400> 1 ttagttg | | 18 |
| <210> 1 <211> 1 <212> D <213> S | LB . | |
| <222> (<223> N | nisc_feature (6)(7) Jucleotides at positions 6 and 7 are n wherein n .s any nucleotide but preferably g. | |
| <400> 1 | .7 | |

| guademitte aacageet | 18 |
|--|----|
| <210> 18 <211> 19 <212> DNA <213> Streptococcus pneumoniae | |
| <220> <221> misc_feature <222> (7) <223> Nucleotide at position 7 is n wherein n is any nucleotide but preferably t. | |
| <400> 18 ctccgancaa tacgtctct | 19 |
| <210> 19 <211> 20 <212> DNA <213> Streptococcus pneumoniae | |
| <220> <221> misc_feature <222> (10) <223> Nucleotide at position 10 is n wherein n is any nucleotide but preferably g. | |
| <400> 19 gctccagatn aaatgtttgt | 20 |
| <210> 20 <211> 19 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 20 aggagaagtc tttaatagt | 19 |
| <210> 21 <211> 20 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 21 ccctccttga gcaaaagatg | 20 |
| <210> 22 <211> 18 <212> DNA <213> Streptococcus pneumoniae | |
| <400> 22 ttggtaggga cggatccg | 18 |

| <210> 23 <211> 18 | |
|--------------------------------|----|
| <212> DNA | |
| <213> Streptococcus pneumoniae | |
| <400> 23 | |
| gtgacggtcc aacaacct | 18 |
| <210> 24 | |
| <211> 19 | |
| <212> DNA | |
| <213> Streptococcus pneumoniae | |
| <400> 24 | |
| tacagacgaa tacgttgcc | 19 |
| | |
| <210> 25 | |
| <211> 20 | |
| <212> DNA | |
| <213> Streptococcus pneumoniae | |
| <400> 25 | |
| gcacctgatg aactatttgc | 20 |
| | 20 |

•

.

-.

. •

1

•

.

.

.